

Woodland Eco Towers - Grizedale (Plastic Slide)

WD/GRZ



Play Value



Materials & Guarantees

Timber Poles (Out of Ground) - 20 Years
Steel Ground Fixings - 20 Years
Structural Stainless Steel - 25 Years
Sawn Timber - 15 Years
Colour Coated Steelwork - 5 Years
Compact Grade Laminate - 10 Years
Plastic Slides - 5 Years
Bolts - 10 Years
Plastic Components - 5 Years

- 1.1m Tower
- 3 No. 1.5m Tower
- 2 No. Timber Barrier
- 2 No. 1.5m Plastic Slide
- 1.5m Fireman's Pole
- 1.5m Tilted Climber
- 1.5m Vertical Climber
- 1.5m Net Traverse Wall
- 1.5m Striding Stilts Access
- 1.1m Monkey Bars
- Inclined Net Bridge
- Inclined Woodland Bridge
- Inclined Balance Bridge

Embark on a climbing adventure with this fantastic four-tower unit designed to captivate children with a diverse array of challenging access and connection points.

WOODLAND ECO TOWERS

Playdale™
Playgrounds

Fixing Options



Roof Options



Equipment Dimensions

Length / Width / Height	11.8m x 9.6m x 3.3m
-------------------------	---------------------


Surfacing and Area Required

Recommended Minimum Space	15.7m x 13.6m x 4.5m
Max Gradient of Ground	1 in 50
Free Height of Fall	2.1m
Synthetic Surfacing Area	111m ²
Loosefill @ 250mm Depth	32m ³
Grasslok (1m x 1m Tiles)	141m ²

Installation Information

Installation Time	2 Persons 39 Hours
Overall Weight	1281kg
Heaviest Part	40kg
Largest Part	3m x 0.6m x 0.5m
Longest Part	3.3m
Concrete Required	2.1m ³

Plan View



**EN1176
Impact Area**



**Recommended
Minimum Space**



**Free
Space**



**Synthetic
Surfacing**



Side Elevation

