

Woodland Eco Towers - The Avenue (Plastic Slide)

WD/AVN



Play Value



Materials & Guarantees

Timber Poles (Out of Ground) - 20 Years
Steel Ground Fixings - 20 Years
Structural Stainless Steel - 25 Years
Sawn Timber - 15 Years
Colour Coated Steelwork - 5 Years
Compact Grade Laminate - 10 Years
Plastic Slides - 5 Years
Bolts - 10 Years
Plastic Components - 5 Years

- 1.1m Tower
- 1.5m Tower
- Timber Barrier
- 1.1m Plastic Slide
- 1.5m Fireman's Pole
- 1.5m Net Traverse Wall
- 1.1m Monkey Bars
- 1.1m Net Inclined Access
- Inclined Balance Bridge

Watch as children unleash their agility swinging with joy on the monkey bars and challenge their balance skills on the balance bridge. An exciting blend of fun and physical activity promoting active play.

WOODLAND ECO TOWERS

Playdale™
Playgrounds

Fixing Options



Roof Options



Equipment Dimensions

Length / Width / Height	8.7m x 6.3m x 3.3m
-------------------------	--------------------


Surfacing and Area Required

Recommended Minimum Space	12.6m x 10m x 4.5m
Max Gradient of Ground	1 in 50
Free Height of Fall	2.1m
Synthetic Surfacing Area	68m ²
Loosefill @ 250mm Depth	22.75m ³
Grasslok (1m x 1m Tiles)	88m ²

Installation Information

Installation Time	2 Persons 22 Hours
Overall Weight	662kg
Heaviest Part	32kg
Largest Part	3.1m x 0.6m x 0.5m
Longest Part	3.3m
Concrete Required	1.3m ³

Plan View



EN1176
Impact Area




Recommended
Minimum Space



Free
Space



Synthetic
Surfacing



Side Elevation

